



Analysis of Covid-19 vaccine effectiveness claims in Australia Supplementary Report 5

Commissioned by People for Safe Vaccines
Presented by Sandy Barrett and Serene Teffaha
Dated 29 April 2022

This presentation is condensed from an extensive referenced report available to People for Safe Vaccines members.

WHO WE ARE

People for Safe Vaccines is an **Australian not-for-profit committed to promoting vaccine safety and efficacy**, with a membership of **over 3,000 concerned Australians**, including parents of children at risk of injury and injured by certain provisionally registered goods indicated for prevention of Covid-19 on the Australian Register of Therapeutic Goods.

WHAT WE SEEK

Proper due diligence from the government on safe vaccines

True transparency and accountability

Freedom to choose your own medical interventions

Open public debate

OUR OBJECTIVE HERE

This is a further Supplementary Report to our previous reports, which can be found [here](#). The purpose of this supplementary report is to further **test the claims** made by government and medical officials **that mass vaccination reduces cases/infections, hospitalisations, Intensive Care Unit (ICU) admissions, deaths (CHID's) and transmission** in Australia by **validating those claims against the real-world data**. In this report we examine the situation nationally and in VIC, WA, ACT, QLD and NSW using available official data sets, as well as the most recent Australian Bureau of Statistics All-Cause Mortality report.

CONTENTS

THE REAL SPIKE	4
UPDATE ON INJURIES.....	7
UPDATE ON ALL CAUSE MORTALITY.....	9
ABORT MISSION.....	10
WITHDRAW THE VACCINES	10
SUPPORT OUR WORK.....	11
BECOME A MEMBER.....	11

THE REAL SPIKE

The following tables summarise the key findings around COVID-19 transmission and clinical severity in Australia and across key States and Territories, as in our previous reports. In this report we have added statistics for Victoria.

The figures are current for National to 28/4/22, VIC to 27/4/22, and ACT, NSW, Qld and WA to 26/4/22.

Note: yearly comparisons are based on the calculated daily averages.

New COVID-19 Cases	2020	2021	2022	2022 comparisons	
				2020	2021
AU	29,756	371,746	5,491,509	↑ x580.7	↑ x46.35
ACT	122	3,945	96,211	↑ x2502.99	↑ x77.19
NSW	4,772	184,350	2,062,155	↑ x1371.56	↑ x35.41
QLD	1,267	12,651	956,739	↑ x2396.69	↑ x239.37
WA	867	300	358,060	↑ x1310.79	↑ x3777.8
VIC	21,830	158,924	1,398,561	↑ x201.59	↑ x27.61

Hospitalisations	2020	2021	2022	2022 comparisons	
				2020	2021
AU	37,716	157,532	361,798	↑ x30.18	↑ x7.21
ACT	95	1,099	5,246	↑ x175.27	↑ x15.11
NSW	4,022	88,779	192,112	↑ x151.6	↑ x6.85
QLD	2,390	9,915	55,651	↑ x73.90	↑ x17.77
WA	1129	153	9,901	↑ x27.83	↑ x204.83
VIC	28,689	51,646	58,793	↑ x6.45	↑ x3.57

ICU Admissions	2020	2021	2022	2022 comparisons	
				2020	2021
AU	5,302	27,085	23,603	↑ x14.01	↑ x2.73
ACT	38	404	299	↑ x24.97	↑ x2.34
NSW	1,524	16,314	11,012	↑ x22.93	↑ x2.14
QLD	359	126	3,167	↑ x28.0	↑ x79.6
WA	327	70	328	↑ x3.18	↑ x14.8
VIC	2,884	9,964	6,435	↑ x7.02	↑ x2.03

Deaths	2020	2021	2022	2022 comparisons	
				2020	2021
AU	909	1,330	4,924	↑ x17.04	↑ x11.62
ACT	3	12	35	↑ x37.03	↑ x9.23
NSW	54	609	2,052	↑ x120.61	↑ x10.67
QLD	6	1	835	↑ x441.7	↑ x2642.96
WA	9	0	116	↑ x40.91	↑ x75.24
VIC	820	705	1,407	↑ x5.40	↑ x6.26

In earlier reports we have analysed CHIDs based on vaccination status, and we continue to see the same trend, where most CHIDs are in the double vaccinated and boosted. Peak vaccination rates in Australia occurred in November 2021.

To provide further clarification on the number of hospitalisations, ICU admissions and deaths, it would be beneficial to know how many patients with COVID-19 were administered antiviral treatments such as Remdisivir, Lagevrio or Paxlovid and/or monoclonal antibody treatments like Sotrovimab, Ronapreve, Tocilizumab, Regdanvimab or Evusheld.

WA has a [COVID Vaccine Adverse Reactions Clinic](#) at Sir Charles Gairdner Hospital where upon calling to make an **appointment, we are told that wait times for people suffering adverse events from the COVID-19 vaccines may be up to six months due to "high case load"**, according to the WA Department of Health.

This reveals that the State's public health response has not only exacerbated COVID-19 prevalence in the community, but it has also created a new and more dangerous public health crisis, a genuine pandemic of vaccine injuries, adding enormous pressure to the medical system.

With Queensland having 2643 times more deaths in the first 115 days of 2022, as compared with the entire year of 2021, this is perhaps the biggest red-flag event so far.

Of note, the 12 March 2022, the April 2020 Direction to prevent prescribing, dispensing or supplying Hydroxychloroquine as a treatment for COVID-19, was quietly [revoked by the Chief Health Officer](#). This was soon followed by the announcement that most vaccine mandates would come to an end on 14 April 2022.

Perhaps the Queensland government grasps the magnitude of the problem the State is facing and is now willing to include this effective treatment and preventative as a valid measure to curb the unhinged numbers.

What Queensland Health Minister Yvette D'Ath is claiming ignorance on is what is behind the [sudden 40% growth in heart attacks](#). It doesn't take an 'expert' to work out that COVID-19 vaccines, where heart injuries are known and listed side effects, is obviously where we should start looking.

Victoria is where the majority of deaths occurred early in the pandemic, so with deaths 6 times greater than 2021 daily averages and 5 times greater than 2020 daily averages, this is perhaps the biggest red-flag event in Victoria so far.

UPDATE ON INJURIES

The [TGA states](#) that "*Large scale vaccination means that some people will experience a new illness or die within a few days or weeks of vaccination. These events are often coincidental, rather than being caused by the vaccine.*"

We have shown that the claims these vaccines are effective, is inaccurate, and we can now see the claims they are safe are also misleading because there are **2.1 adverse events to every 1000 doses** and the TGA is carefully monitoring and reviewing many serious side-effects including death, myocarditis, pericarditis, Guillain-Barre syndrome, thrombosis type illness, cardiac arrest and more.

While there are almost **2.8 million adverse events reported** through [AUSVAX Safety](#) and over 123,000 to the TGA, including **827 deaths**, there are many deaths and significant health issues being considered 'coincidental' that are simply ignored.

We are seeing [hundreds of reports](#) of fit and healthy sports people with severe health conditions, many leading to sudden death, where vaccination is not even being considered as a potential cause. How can the TGA claim to be carefully monitoring and reviewing vaccine safety when these red-flag events appear to be completely ignored?

In our earlier reports we highlighted the significant under-reporting of adverse events and together with AHPRA's muzzling of healthcare professionals, clearly the monitoring of safety is extremely questionable. Could this be because the [TGA, through its "Cost Recovery" funding model](#), receives most of its funding from Big Pharma?

When considering the mild effects of COVID-19 in the young, it appears the risk from serious illness caused by COVID-19 is dwarfed by vaccination risk in this age group. For a detailed look into childhood COVID-19 vaccine injuries, see our [fourth supplementary report](#).

TGA Adverse Events

Total adverse event reports following immunisation to 24 April 2022

2.1	123,568	57,480,049
Reporting rate per 1,000 doses	Total adverse event reports	Total doses administered
46,793	70,851	5,674
Total reports for Vaxzevria	Total reports for Comirnaty	Total reports for Spikevax
588	551	
Total reports for Nuvaxovid	Total reports for brand not specified	

TGA has reported 827 deaths and confirmed 11 were linked to vaccination.

AUSVAX Safety

COVID-19 vaccine safety data - at a glance

As at 25 April 2022

6,291,245

safety surveys completed*

97,625

safety surveys completed by Aboriginal and Torres Strait Islander people*


44.6%

reported at least one adverse event

1.0%

reported visiting a GP or ED

Participants



* Surveys sent on Day 3 post vaccination. NOTE: Adverse events are self-reported, have not been clinically verified, and do not necessarily have a causal relationship with the vaccine.



UPDATE ON ALL CAUSE MORTALITY


The Australian Bureau of Statistics released its [Provisional Mortality Statistics](#) of deaths data to show changes in patterns of mortality.

In January 2022, **deaths are 22.1% more than the historical average**. It is disturbing to see that after cancers, COVID-19 deaths were the most common cause of death in January 2022.

How can our governments continue to peddle the mantra that mass vaccination is the best way to deal with COVID-19, when 89% of the entire population from age 5 and above, are double vaccinated and 64.9% of those 16 and above are triple vaccinated and **COVID-19 is now the second most common cause of death in Australia?**

Also on the increase are cancers, heart disease, cerebrovascular disease and dementia. Of note, **all these have shown up in the TGA DAEN system as adverse events to COVID-19 vaccines.**

While the TGA continue to largely ignore correlation, the all-cause mortality data clearly reveals a significant problem and raises some important questions.



ABORT MISSION

WITHDRAW THE VACCINES

ATAGI claims its overarching goal is to protect all people by preventing serious illness and death. If that were true, COVID-19 would not be the second most common cause of death in January 2022. This proves that the vaccines are exacerbating clinical severity, clearly indicating the vaccines do not give protection.

With all-cause mortality increasing by 22% on historical averages and COVID-19 becoming the second most common cause of death despite significant rates of vaccination, we conclude that the purported **COVID-19 vaccines used in Australia are ineffective**, and the ABS mortality report verifies our assumptions that these **vaccines are creating increased susceptibility to COVID-19 infection, serious illness and death**. Consequently, it makes no sense to force people to be vaccinated and we believe the rollout should be halted immediately and a thorough independent and transparent investigation be done.

SUPPORT OUR WORK

BECOME A MEMBER

People for Safe Vaccines has been providing ongoing research, education and lobbying efforts to bring about proper due diligence from government on safe vaccines including transparency and accountability. If you would like to support our ongoing work, please become a member today.

<https://www.peopleforsafevaccines.org/plans-pricing>

