



## Analysis of Covid-19 vaccine effectiveness claims in Australia Supplementary Report 4

Commissioned by People for Safe Vaccines  
Presented by Sandy Barrett and Seamus Ryan  
Dated 28 April 2022

This presentation is condensed from an extensive referenced report available to People for Safe Vaccines members.

## WHO ARE WE

People for Safe Vaccines is an **Australian not-for-profit committed to promoting vaccine safety and efficacy**, with a membership of **over 3,000 concerned Australians**, including parents of children at risk of injury and injured by certain provisionally registered goods indicated for prevention of Covid-19 on the Australian Register of Therapeutic Goods.

## WHAT WE SEEK

Proper due diligence from the government on safe vaccines

True transparency and accountability

Freedom to choose your own medical interventions

Open public debate

## OUR OBJECTIVE HERE

The purpose of this report is to closely examine reports of adverse events in children under 10 years of age in Australia, using publicly available data through the Therapeutic Goods Administration's (TGA) Database of Adverse Events Notification (DAEN) database, and to **test the claims** made by government and medical officials **that vaccination of children is safe and effective** in Australia by **validating those claims against adverse events data**, and comparing it with COVID-19 mortality data in the same age group.

# CONTENTS

ADVERSE EVENTS DATABASES .....	4
INJURIES REPORTED IN CHILDREN AFTER COVID-19 VACCINATION .....	5
CHILDHOOD COVID-19 DEATHS IN AUSTRALIA.....	10
ABORT MISSION.....	11
WITHDRAW THE VACCINES .....	11
SUPPORT OUR WORK.....	12
BECOME A MEMBER.....	12

## ADVERSE EVENTS DATABASES

In relation to vaccine adverse events, the TGA has 3 different sets of data:

1. Internal Database. This is the raw data that the TGA receive in relation to Adverse Events to Covid-19 vaccines. It is NOT accessible to the general public.
2. DAEN (Database of Adverse Events Notification). This is the database that is accessible to the general public after the TGA has filtered / washed information received. This database is 2 weeks delayed (i.e. the latest data accessible is two weeks old).
3. TGA Weekly Report - the TGA supplies a weekly report of the Adverse Events received in a tailored format. It does not contain a lot of key information and it is 4 days delayed.

The weekly report is unreliable because the figures shown in the report do not match the figures extracted from the DAEN database searches.

The TGA states that *"Large scale vaccination means that some people will experience a new illness or die within a few days or weeks of vaccination. These events are often coincidental, rather than being caused by the vaccine."*

We have the following questions:

- How can the TGA make such a sweeping statement that new illness and death after vaccination is "often" merely a coincidence?
- When a death or adverse event is reported by a treating physician, it is because they held a professional opinion that there was some connection to the vaccine. So, why is it that the TGA expert panel deny causation 90% of the time?
- Given the novel nature of such a massive vaccination exercise on provisionally approved vaccines, why isn't it mandatory for autopsies with independent assessments?

We note the exclusion of "death" as an adverse event when searching the DAEN system. While the summary of a search will tell you the number of cases where death was a reported outcome, when switching to itemise the results (i.e. on an individual entry basis) there is no way of telling if say a "cardiac arrest" resulted in death, unless there is a single instance.

The [TGA Weekly report of adverse events for 13 March 2022](#) omits 13 cases of transverse myelitis as it reported 19 cases when a database search shows 32. Why is the TGA withholding adverse events from its public reports?

Of interest, the DAENs system has started to withhold the ages of dozens of adverse events, including death.

## INJURIES REPORTED IN CHILDREN AFTER COVID-19 VACCINATION

When ATAGI made recommendations to vaccinate children as young as five, despite a more conservative approach by many nations across the world, including the UK, provisional approvals followed at warp speed.

On 10 January 2022 vaccinations for children between five and 11 commenced. The TGA DAEN's system allows public access to reported adverse events, albeit delayed by 14 days and underreported. By the end of January reports of serious adverse events in children could be found. Here is a list of some of the serious injuries reported:

<i>Adverse Event</i>	<i>Age</i>
<i>Heart Attack</i>	9 year old
<i>Seizure</i>	5 year old
<i>Brain Haemorrhage</i>	5 year old
<i>Rectal haemorrhage</i>	6 year old
<i>Vaginal haemorrhage</i>	5 year old
<i>Myocarditis, tremors, angioedema, pericarditis, and tachycardia</i>	Numerous cases
<i>Heart damage</i>	10 year old
<i>Epilepsy</i>	9 year old
<i>Appendicitis</i>	8 year old
<i>Transverse Myelitis</i>	9 year old
<i>Breathing Difficulties</i>	10 year old
<i>Blood clots</i>	10 year old
<i>Stroke</i>	6 year old
<i>Pneumonia</i>	7 year old
<i>Loss of consciousness</i>	6 year old
<i>Urinary incontinence</i>	5 year old
<i>Pyrexia</i>	7 year old
<i>Kawasaki's Disease</i>	5 year old
<i>Pleurisy</i>	8 year old
<i>Hypotension</i>	9 year old
<i>Demyelination</i>	9 year old
<i>Death</i>	ages 6, 7 and 9

By 17 April (97 days) there were 1,300 adverse events reported in children aged 5-11, with **an injury rate of 1 in 923** and many of these adverse events listed are serious, including three deaths.

One of these deaths reported to the TGA on 28th March (6-year-old boy who died after vaccination - Case number 724925) has since been removed from the DAEN. This is a screenshot of the entry before it was removed.

Case number	Report entry date	Age (yrs)	Gender	Medicines reported as being taken	MedDRA reaction terms
724925	28/03/2022	6	M	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li>Adverse event following immunisation</li> </ul>

5 medicines selected between 28/03/2022 - 28/03/2022.

**Selected medicines**

Trade name	Active ingredients
COMIRNATY COVID-19 vaccine	tozinameran
COVID-19 Vaccine (TNS)	COVID-19 Vaccine (Type not specified)
COVID-19 Vaccine AstraZeneca	ChAdOx1-S (Viral vector)
NUVAXOVID COVID-19 Vaccine	SARS-CoV-2 rS (NVX-CoV2373)
Spikevax COVID-19 vaccine	Elasomeran (mRNA)

1 MedDRA Reaction Terms selected.

**Search results**

The results are shown in two tabs.

Number of reports (cases): 1  
 Number of cases with a single suspected medicine: 1  
 Number of cases where death was a reported outcome: 1

More information on the search results

Medicine summary | List of reports

**Medicine summary**

The medicine summary groups reported adverse events together. Patients may have reported multiple adverse events.

[Further information about the medicine summary](#)  
[Information on printing search results](#)

Sort by: [Print version of this report](#)

Number of cases - highest first

MedDRA system organ class	MedDRA reaction term	Number of cases	Number of cases with a single suspected medicine	Number of cases where death was a reported outcome
Injury, poisoning and procedural complications	Adverse event following immunisation	1	1	1

Here are some screen captures from the TGA DAENs system showing reported deaths in children aged 5-11, post COVID-19 vaccination:

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus medical dictionary</a> .
724023	25/03/2022	9	F	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Cardiac arrest</a></li> </ul>

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus medical dictionary</a> .
				Suspected	
720962	16/03/2022	6	M	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Adverse event following immunisation</a></li> </ul>

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus medical dictionary</a> .
719838	11/03/2022	7	M	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Cardiac arrest</a></li> <li><a href="#">Generalised tonic-clonic seizure</a></li> </ul>

One case report indicated increased troponin (possible heart attack) in an infant being breast fed by a vaccinated mother.

Below are screen capturers from the DAENS system showing some of the adverse reactions.

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus</a> medical dictionary.
699831	24/01/2022	6	M	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Cerebrovascular accident</a></li> <li><a href="#">Headache</a></li> </ul>

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus</a> medical dictionary.
708997	11/02/2022	9	M	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Chest pain</a></li> <li><a href="#">Dizziness</a></li> <li><a href="#">Lymphadenopathy</a></li> <li><a href="#">Myalgia</a></li> <li><a href="#">Myocardial infarction</a></li> <li><a href="#">Nausea</a></li> <li><a href="#">Pyrexia</a></li> <li><a href="#">Vomiting</a></li> </ul>

<u>Case number</u>	<u>Report entry date</u>	<u>Age (yrs)</u>	<u>Gender</u>	<u>Medicines reported as being taken</u>	<u>MedDRA reaction terms</u> Click on a term below to search the <a href="#">MedlinePlus</a> medical dictionary.
711764	18/02/2022	8	F	<ul style="list-style-type: none"> <li>COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li><a href="#">Multisystem inflammatory syndrome in children</a></li> </ul>

Not only are we seeing injuries, we are also seeing breakthrough infections of COVID-19, the very thing these vaccines are supposed to provide protection from.

Case number	Report entry date	Age (yrs)	Gender	Medicines reported as being taken	MedDRA reaction terms <small>Click on a term below to search the <a href="#">MedlinePlus</a> medical dictionary.</small>
711582	18/02/2022	10	F	<ul style="list-style-type: none"> <li>• COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li>• <a href="#">Chest discomfort</a></li> <li>• <a href="#">Myalgia</a></li> <li>• <a href="#">Oropharyngeal pain</a></li> <li>• <a href="#">Pyrexia</a></li> <li>• <a href="#">Rhinorrhoea</a></li> <li>• <a href="#">SARS-CoV-2 test positive</a></li> <li>• <a href="#">Vaccine breakthrough infection</a></li> </ul>

Case number	Report entry date	Age (yrs)	Gender	Medicines reported as being taken	MedDRA reaction terms <small>Click on a term below to search the <a href="#">MedlinePlus</a> medical dictionary.</small>
696188	18/01/2022	5	F	<ul style="list-style-type: none"> <li>• COMIRNATY COVID-19 vaccine (tozinameran) - Suspected</li> </ul>	<ul style="list-style-type: none"> <li>• <a href="#">Basal ganglia haemorrhage</a></li> <li>• <a href="#">Headache</a></li> <li>• <a href="#">SARS-CoV-2 test negative</a></li> <li>• <a href="#">Syncope</a></li> </ul>

# CHILDHOOD COVID-19 DEATHS IN AUSTRALIA

The Australian Bureau of Statistics (ABS) [COVID-19 Mortality report](#) shows that:

- Median age at death is 84.3
- The ABS data confirms that **most deaths** with COVID-19 are in the **sick and elderly**, with a significant portion in the age group that is **past average life expectancy**
- Inversely, it **confirms the younger** age groups are **not significantly impacted** by severity of symptoms and this has been the case prior to vaccination
- The infection **survival rate in children** and adolescents is **99.998%**

This can be verified by the very low number of deaths in children up to 9 years of age where for the duration of the pandemic, a total of 8 children have [died with a COVID-19 diagnosis](#).

Our search for media coverage on these deaths has returned the following:


<i>Date</i>	<i>Age</i>	<i>Summation</i>
21/03/22	2	<a href="#">no co-morbidities stated</a>
02/02/22	9	<a href="#">very serious underlying, rare, inherited medical condition</a>
10/01/22	4	<a href="#">significant underlying health conditions</a>
20/11/21	9	<a href="#">other serious comorbidities</a>
30/12/21	1	<a href="#">cause of death hasn't been determined, referred to coroner</a>

For children under 10 years old, as of 26 April 2022, the daily average COVID-19 death rate in is 0.009. For the same cohort the daily average death rate reported as a vaccine adverse event is 0.028; or 3.2 times greater.

Britain's Office for National Statistics (ONS) has [released data](#) indicating that children who received the COVID-19 jabs have suffered a death rate 54 times greater than that of their un-jabbed counterparts.

When considering the mild effects of COVID-19 in the young, it appears the risk from serious illness caused by COVID-19 is dwarfed by vaccination risk in this age group.

COVID-19 registered deaths by age and sex (a)(b)(c)(d)(e)



# ABORT MISSION

## WITHDRAW THE VACCINES

This analysis has looked at injuries and deaths reported to the TGA in children aged 5-11, post COVID-19 vaccination. We remind the reader that each statistic represents real injuries and deaths of vulnerable children who had their lives ahead of them.

Guardians of these children have done what they thought were in the best interests of their child, because they have been misled into believing the consensus that these vaccines are safe. **Dialogue is always more important than blind consensus** and we will continue in our endeavours to seek the truth and educate others, in a bid to protect our children into the future.

It appears the TGA are clearly trying to hide adverse events in children, as can be evidenced by cross-examining their weekly summary reports against database searches. Even so, the number of serious injuries and deaths reported are a significant concern.

In what can only be described as a desperate move to normalise these adverse events, in February this year advertising started to appear stating that kids have strokes too. This has never been normal.

**The highest risk group for COVID-19 are people at, or past, life expectancy, and with pre-existing co-morbidities.** The rest of the population who contract the virus have an extremely high recovery rate, especially children and adolescents.

**Children and adolescents have virtually zero chance of dying from COVID-19, yet children below the age of 10 have a 3.2 times greater risk of dying after vaccination than from COVID-19 itself.**

When you consider this and there being only 8 COVID-19 deaths in 2 years compared to 3 vaccine-related deaths in just 74 days in children up to 9 years old, it is clear that the risks from these vaccines outweigh any notional benefits. To be blunt about it, a 3.2 times more likely chance of your six-year-old having a stroke and dying is obviously a far worse outcome than them getting COVID-19.

Clearly this shows the vaccines in the young are extremely dangerous and is an **immediate justification for halting the rollout and for withdrawing any mandates** until more thorough, and transparent investigations are conducted.

## SUPPORT OUR WORK

### BECOME A MEMBER

People for Safe Vaccines has been providing ongoing research, education and lobbying efforts to bring about proper due diligence from government on safe vaccines including transparency and accountability. If you would like to support our ongoing work, please become a member today.

<https://www.peopleforsafevaccines.org/plans-pricing>

